



QQQ Convenient Digital Color Label Press

The Color label press any-002 can make 5,000 color labels within 2 hours

As the output of a maximum 9m per minute is possible, 5,000 labels can be printed out within two hours. In addition, up to 250m can be printed out at one time and the setup for printing is unnecessary, therefore, immediate printing is possible.

Label printing, handily done in an office

any-002 does not require a large space. It can be installed in small spaces such as offices and can print out labels immediately whenever necessary.

Work that was impossible with analogue equipment is now possible with Anytron software

any-002 uses its own software, and thereby conveniently and speedily processes the tasks that were impossible with analogue equipment. The unique information that is entered into labels, such as QR codes, barcodes, and numbering, can be printed out immediately.

High-quality labels can be produced at reasonable consumable costs.

Using high-capacity toners and drums, high-resolution labels can be produced at reasonable prices. The printed labels maintain their quality for a long time as they have superior waterproofing and are less susceptible to the impacts of external environments.

No need for professional technicians

The operation of the equipment is easy and simple. Therefore, no professional technicians are necessary for printing, which reduces

Any label can be printed out at any time in a preferred quantity.

Upon the order of customers, continuous labels or pre-cut labels can be printed out immediately in required quantities. This minimizes unnecessary inventory costs and facilitates customer satisfaction through fast lead time.

Various materials can be supported

Labels are printed on various paper types such as art papers, certified PET and PP. Therefore, paper materials suited to customer needs can be used.

Low-risk investment, but high productivity

any-002 can get better return on investment compared to other digital label machines. Therefore, the customers are relieved of the burden of investment costs.

Bigger roll media support

The maximum roll diameter of the unwinder is 370 mm. It enables label printing up to 500 m without media change.

Easy operation in handling label media

The Automatic media guiding and media feeding system enables the customer to easily operate the printer regardless of the kind of label



Specifications



Faster output, faster delivery

- Maximum printing speed of 9m per minute (30feet/minute)
- High-capacity 256MB RAM and HDD 160GB to support big files



High-resolution label printing

- Highly stable digital LED engine
- Resolution of 600 X 1200dpi through toner base



Prompt and convenient data processing

- Prints maximum 1.2m-long labels
- Prints labels with user-preferred colors based on the color management by RIP software
- Convenient production of variable data such as barcodes, QR codes, and serial numbers (available option)
- Sensor for printing on pre-cut label



Effective and economical printing work

- Various materials can be supported (art papers, certified PP and PET) and thicknesses.
- Capacity of toner cartridge: (5% coverage of A4 sized paper)
 K-11,000 pages / CMY -11,500 pages
- Capacity of Image Drums: 28,000
- · Capacity of transfer belt/fuser unit: 60,000
- A basic media of 215mm X 500m



Interface and software

- Interface: High-speed USB, TCP/IP
- OS: Windows XP, Vista, Windows 2003, Windows 7
- S/W: Compose Rip S/W, Wasatch Rip S/W, Windows driver



General characteristics

- Unwinder system / Rewinder system (option)
- Maximum diameter of installed media rolls: 370mm (14.5 inches)
- Diameter of the core inside: 7.62cm (3 inches)
- · Automatic or manual cutting after printing
- Operating environment : Temperature 10°C~32°C, Humidity 20~80%
- Power supply: 110~240VAC, 50~60Hz, 4.5A
- Power consumption : usual 600W, Maximum 1,300 W
- · Weight: 85kg
- Dimension: 1150mm(L) X 580mm(W) X 505mm(H)

any-rewinder	Specification
Max roll width /weight	• 8.5 inches (215mm) / 10kg
Max roll diameter	• 11.8inches (300mm)
Rewinding speed	Max 9m/m (same as Printing speed)
Function	• Switch 1 / 2 : Tension of rewinding mode
	(Stepping or proportional)
	Switch 3 : Normal rotation mode
	Switch 4 : Reverse rotation mode
	Counter function
Power	• 110 V or 220V
Dimension	• Net size : 503(L) X 550(W) X 495(H) mm /
	33 kg
Reference	No stand alone unit.
	• It should be used with any-002 only.



